

English XX Varley

| | | | DC | Doyle | Lovell | Corp | Total |
|---|-----------------------|-----------------------------|-------|-------|--------|-------|--------------------------|
| The Varley Challenge Cup, The Gold Lion Badge and £15.00 | | | | | | | |
| 1 | Mr A Ringer | X Norfolk | 50.9v | 0.0v | 50.6v | 46.2v | 146.17v |
| The Silver Lion Badge and £12.00 | | | | | | | |
| 2 | Mr D Blake | X London | 49.3v | 0.0v | 50.5v | 47.3v | 146.11v |
| The Johnson Challenge Cup and The Bronze Lion Badge and £15.00 | | | | | | | |
| 3 | Mr AJ Leech | O Hampshire | 46.2v | 0.0v | 50.7v | 47.6v | 143.15v |
| £10.00 | | | | | | | |
| 4 | Mr JEK Pepera-Hibbert | X Lancashire | 47.4v | 0.0v | 50.6v | 46.4v | 143.14v |
| | | | | | | | £10.00 |
| 5 | Mr SA Thomas | X Hertfordshire | 49.6v | 0.0v | 50.6v | 44.1v | 143.13v |
| 6 | Capt NJ Ball | X Norfolk | 48.4v | 0.0v | 48.5v | 46.7v | 142.16v |
| 7 | Mr SF Brewer-Marchant | O Yorkshire | 47.3v | 0.0v | 49.7v | 46.5v | 142.15v |
| | | | | | | | £12.00 |
| 8 | Mr PM Patel | X Surrey | 47.4v | 0.0v | 48.6v | 47.5v | 142.15v |
| 9 | Miss JM Hince | X Northants, Leics, Rutland | 48.4v | 0.0v | 48.5v | 46.6v | 142.15v |
| Top Under-25 Small Bronze Cross and £15.00 | | | | | | | |
| 10 | Mr AR Radkovskii | A Oxfordshire | 46.4v | 0.0v | 49.4v | 47.5v | 142.13v |
| | | | | | | | £15.00 and £12.00 |
| 11 | Mr AW Lothian | X Middlesex | 49.6v | 0.0v | 46.3v | 47.3v | 142.12v |
| 12 | Mr TS Keen | O Somerset | 48.5v | 0.0v | 48.2v | 46.4v | 142.11v |
| | | | | | | | £10.00 |
| 13 | Mr PD Sykes | X Sussex | 48.4v | 0.0v | 47.3v | 47.3v | 142.10v |
| 14 | Miss AP Good | X Sussex | 48.7v | 0.0v | 49.7v | 44.3v | 141.17v |
| | | | | | | | £10.00 |
| 15 | Mr CJ Mitchell | X Berkshire | 49.7v | 0.0v | 48.5v | 44.2v | 141.14v |
| 16 | Miss JH Messer | X Sussex | 47.3v | 0.0v | 47.3v | 47.7v | 141.13v |
| 17 | Mr MJ Ensor | X Surrey | 49.4v | 0.0v | 47.6v | 45.3v | 141.13v |
| 18 | Mr JEM Bellringer | X Surrey | 49.5v | 0.0v | 47.5v | 45.3v | 141.13v |
| 19 | Mr B Sampson | A Hertfordshire | 48.5v | 0.0v | 46.2v | 47.5v | 141.12v |
| | | | | | | | £12.00 |
| 20 | Mr CES Dickenson | X Berkshire | 47.4v | 0.0v | 48.4v | 46.2v | 141.10v |
| 21 | Dr JDS Langley | A Devon | 48.6v | 0.0v | 47.5v | 45.5v | 140.16v |
| | | | | | | | £10.00 |
| 22 | Mr AP Barnes | A Hertfordshire | 48.7v | 0.0v | 44.2v | 48.4v | 140.13v |
| 23 | Mr JR Tuck | X Surrey | 45.3v | 0.0v | 47.4v | 48.5v | 140.12v |
| 24 | Mr KWD Ramsey | X Surrey | 49.5v | 0.0v | 43.1v | 48.6v | 140.12v |
| 25 | L CPL TJ Roberts | A Sussex | 47.3v | 0.0v | 46.5v | 47.3v | 140.11v |
| 26 | Mr JGM Webster | X Cheshire | 47.3v | 0.0v | 47.4v | 46.4v | 140.11v |
| 27 | Mr DFP Richards | X Hampshire | 48.3v | 0.0v | 46.4v | 46.4v | 140.11v |
| 28 | Mr JCT Kent | X Surrey | 50.6v | 0.0v | 48.3v | 42.2v | 140.11v |
| 29 | Mr MCJ Button | X Lincolnshire | 44.0v | 0.0v | 48.5v | 48.5v | 140.10v |
| 30 | Mr EWD Feast | O Hertfordshire | 49.3v | 0.0v | 47.4v | 44.2v | 140.9v |
| 31 | Mr WJD Broad | A Surrey | 49.3v | 0.0v | 48.4v | 43.2v | 140.9v |
| 32 | Dr GP Nelson | X Northumberland | 49.5v | 0.0v | 45.2v | 46.2v | 140.9v |
| 33 | Mr JR Allum | O Berkshire | 50.4v | 0.0v | 45.2v | 45.3v | 140.9v |
| 34 | Mr WCP Richards | A Surrey | 50.4v | 0.0v | 49.1v | 41.1v | 140.6v |
| 35 | Gp Capt WD Cooper | X Gloucestershire | 49.6v | 0.0v | 47.5v | 43.3v | 139.14v |
| 36 | Mr DA Rose | X Northants, Leics, Rutland | 47.3v | 0.0v | 45.3v | 47.7v | 139.13v |
| 37 | Mr ER Welford | X Hampshire | 45.3v | 0.0v | 48.5v | 46.4v | 139.12v |
| 38 | Mr RM Hatcher | X Suffolk | 46.5v | 0.0v | 46.3v | 47.4v | 139.12v |
| 39 | Capt M Purdy | X Norfolk | 48.6v | 0.0v | 47.4v | 44.2v | 139.12v |
| 40 | Mr JD Warburton | X Yorkshire | 49.6v | 0.0v | 47.3v | 43.3v | 139.12v |
| 41 | Mr OEJ Spencer | X Cheshire | 50.7v | 0.0v | 45.3v | 44.2v | 139.12v |
| 42 | Mr APW Daw | A Hertfordshire | 47.3v | 0.0v | 47.3v | 45.5v | 139.11v |
| 43 | Mr R Stewart | X Norfolk | 49.7v | 0.0v | 48.4v | 42.0v | 139.11v |
| 44 | Mr AC Morley | A Devon | 47.4v | 0.0v | 47.3v | 45.3v | 139.10v |
| 45 | Mr TJD Raincock | X Surrey | 48.5v | 0.0v | 44.1v | 47.4v | 139.10v |
| 46 | Dr HA Day | X Suffolk | 48.6v | 0.0v | 45.2v | 46.2v | 139.10v |
| 47 | Mr RSF Shouler | X Nottinghamshire | 48.6v | 0.0v | 46.3v | 45.1v | 139.10v |
| 48 | Ms RL Furniss | X Northumberland | 47.3v | 0.0v | 49.4v | 43.1v | 139.8v |
| 49 | Mr D Morris | O Yorkshire | 49.3v | 0.0v | 47.4v | 43.1v | 139.8v |
| 50 | Mr JMA Thompson | X Hertfordshire | 47.3v | 0.0v | 46.1v | 46.2v | 139.6v |
| 51 | Mr JRL Burch | A Surrey | 47.3v | 0.0v | 46.1v | 46.1v | 139.5v |
| Top Under-19 Small Bronze Cross and £15.00 | | | | | | | |
| 52 | Mr D de Vere | A London | 44.2v | 0.0v | 45.4v | 49.5v | 138.11v |
| 53 | Miss KE Milner | A Northumberland | 48.5v | 0.0v | 45.2v | 45.4v | 138.11v |
| 54 | Mr PB Bromley | A Kent | 49.5v | 0.0v | 45.4v | 44.2v | 138.11v |

| | | | | | | | | |
|--|------------------------|---|---------------------------|-------|------|-------|-------|---------|
| 55 | Mr DE Nuthall | A | Surrey | 49.7v | 0.0v | 46.2v | 43.2v | 138.11v |
| 56 | Mr TJ Bryan | O | Lancashire | 46.5v | 0.0v | 48.3v | 44.2v | 138.10v |
| 57 | Mr TP Shaw | X | Berkshire | 46.2v | 0.0v | 49.5v | 43.2v | 138.9v |
| 58 | Mr JC Underwood | X | Surrey | 49.7v | 0.0v | 45.0v | 44.1v | 138.8v |
| 59 | Dr AE Bromley | O | Kent | 47.6v | 0.0v | 44.5v | 46.6v | 137.17v |
| 60 | Mr AI Brown | O | London | 47.7v | 0.0v | 46.5v | 44.2v | 137.14v |
| 61 | Mr PJR Holden | X | Norfolk | 48.6v | 0.0v | 46.3v | 43.3v | 137.12v |
| 62 | Mr RB Fitzsimmons | A | Middlesex | 48.5v | 0.0v | 49.6v | 40.0v | 137.11v |
| 63 | Mr PJ Johnson | O | Worcestershire | 48.6v | 0.0v | 48.5v | 41.0v | 137.11v |
| 64 | Mr HJ Waldern | X | Surrey | 48.7v | 0.0v | 47.3v | 42.1v | 137.11v |
| 65 | Mr EC Dickson | X | Hampshire | 49.4v | 0.0v | 48.5v | 40.2v | 137.11v |
| 66 | Prof PJ Chapman-Sheath | A | Lincolnshire | 47.3v | 0.0v | 47.1v | 43.5v | 137.9v |
| 67 | Miss KA Hinkly | T | Somerset | 48.5v | 0.0v | 48.2v | 41.2v | 137.9v |
| A Small Bronze Cross and £15.00 | | | | | | | | |
| 68 | Mr TM Stevenson | A | County of Durham | 48.6v | 0.0v | 44.2v | 45.1v | 137.9v |
| 69 | Mr MRM Millar | X | Surrey | 49.5v | 0.0v | 46.3v | 42.1v | 137.9v |
| 70 | Dr BJ Winney | X | Hertfordshire | 47.2v | 0.0v | 47.2v | 43.3v | 137.7v |
| 71 | Mr DR Armstrong | X | London | 48.1v | 0.0v | 45.3v | 44.3v | 137.7v |
| 72 | Cpl JH Keates | X | Northants, Leics, Rutland | 46.3v | 0.0v | 48.7v | 42.3v | 136.13v |
| 73 | Dr JR Deane | X | Gloucestershire | 45.3v | 0.0v | 48.5v | 43.4v | 136.12v |
| 74 | Flt Lt LS Crisp | T | Lincolnshire | 48.5v | 0.0v | 44.4v | 44.3v | 136.12v |
| £12.00 | | | | | | | | |
| 75 | Mr MD Jenvey | A | Cambridgeshire | 44.3v | 0.0v | 47.6v | 45.2v | 136.11v |
| 76 | Mr SP Harding | A | Kent | 47.3v | 0.0v | 44.2v | 45.6v | 136.11v |
| 77 | Mr S Belither | X | Essex | 46.4v | 0.0v | 47.3v | 43.3v | 136.10v |
| 78 | Cdt PEV Osmond | T | Lincolnshire | 48.3v | 0.0v | 42.3v | 46.4v | 136.10v |
| £10.00 | | | | | | | | |
| 79 | Mr EA Sewell | X | Lancashire | 45.1v | 0.0v | 45.3v | 46.5v | 136.9v |
| 80 | Lt Col RHG Riley | A | Bedfordshire | 47.5v | 0.0v | 46.3v | 43.1v | 136.9v |
| 81 | Mr NS Roberts | O | Sussex | 49.5v | 0.0v | 47.3v | 40.1v | 136.9v |
| 82 | Air Cdre JA Ford | O | Suffolk | 46.3v | 0.0v | 45.1v | 45.4v | 136.8v |
| 83 | Dr KA Fleck | A | Yorkshire | 47.4v | 0.0v | 47.2v | 42.2v | 136.8v |
| 84 | Mr JA Watson | A | Northants, Leics, Rutland | 47.2v | 0.0v | 49.3v | 40.2v | 136.7v |
| 85 | Mr G Trembath | O | County of Durham | 46.0v | 0.0v | 43.3v | 47.3v | 136.6v |
| 86 | Sir Charlie Sykes | A | Wiltshire | 48.1v | 0.0v | 41.1v | 47.3v | 136.5v |
| 87 | Mr TP Clarke | A | Essex | 48.2v | 0.0v | 45.3v | 43.0v | 136.5v |
| 88 | Mrs SV Luckman | X | Somerset | 49.5v | 0.0v | 46.4v | 40.2v | 135.11v |
| 89 | Mr KO Pugh | X | Northumberland | 44.4v | 0.0v | 45.3v | 46.3v | 135.10v |
| 90 | Miss LG Taylor | A | Lancashire | 48.5v | 0.0v | 41.2v | 46.3v | 135.10v |
| 91 | Mr DC Luckman | X | Somerset | 45.4v | 0.0v | 45.3v | 45.2v | 135.9v |
| 92 | Mr R Hirst | O | Yorkshire | 45.2v | 0.0v | 45.3v | 45.3v | 135.8v |
| 93 | Mr JWE Lothian | O | Middlesex | 46.3v | 0.0v | 44.3v | 45.2v | 135.8v |
| 94 | Mr CD Heales | A | Norfolk | 48.3v | 0.0v | 48.3v | 39.2v | 135.8v |
| 95 | Mr RR Warren | O | London | 43.3v | 0.0v | 46.2v | 46.1v | 135.6v |
| 96 | Mr TS Craig-Fleming | O | Kent | 46.1v | 0.0v | 45.2v | 44.3v | 135.6v |
| 97 | Mr GPC Bramwell | A | Lancashire | 46.3v | 0.0v | 45.1v | 44.2v | 135.6v |
| 98 | Mr RF Barrington | O | Surrey | 49.2v | 0.0v | 46.4v | 40.0v | 135.6v |
| 99 | Mr DG Young | X | Lancashire | 44.1v | 0.0v | 46.2v | 45.2v | 135.5v |
| 100 | Dr AI Ashworth | O | Gloucestershire | 46.3v | 0.0v | 45.3v | 43.7v | 134.13v |
| 101 | Mr CP Weeden | X | Kent | 46.5v | 0.0v | 45.1v | 43.5v | 134.11v |
| 102 | Mr CN Tremlett | X | Berkshire | 47.4v | 0.0v | 45.2v | 42.3v | 134.9v |
| 103 | Mr MF Jordan | O | Sussex | 46.4v | 0.0v | 43.2v | 45.2v | 134.8v |
| 104 | Mr AJ Todd | O | Norfolk | 44.1v | 0.0v | 47.4v | 43.2v | 134.7v |
| 105 | Mr CSP Gray | O | Hertfordshire | 45.3v | 0.0v | 46.3v | 43.1v | 134.7v |
| 106 | Mr PM de Voil | A | Northants, Leics, Rutland | 46.2v | 0.0v | 43.2v | 45.3v | 134.7v |
| 107 | Mr ES Compton | X | Sussex | 48.3v | 0.0v | 48.3v | 38.1v | 134.7v |
| 108 | Mr BDW Parsons | O | Cambridgeshire | 44.2v | 0.0v | 45.2v | 45.2v | 134.6v |
| 109 | Mrs LE Haley | A | Nottinghamshire | 47.0v | 0.0v | 44.3v | 43.1v | 134.4v |
| 110 | Lt CE Mawson | O | Norfolk | 46.3v | 0.0v | 46.3v | 41.5v | 133.11v |
| 111 | Mr CR Vonchek | A | Hampshire | 48.5v | 0.0v | 43.3v | 42.3v | 133.11v |
| 112 | Mr MP Blythe | T | Gloucestershire | 48.5v | 0.0v | 44.4v | 41.2v | 133.11v |
| 113 | Wg Cdr JR Lindsay | O | Berkshire | 48.4v | 0.0v | 44.3v | 41.3v | 133.10v |
| 114 | Mr RJM Mace | X | Hampshire | 48.7v | 0.0v | 43.1v | 42.2v | 133.10v |
| 115 | Mr D Colegate | T | Gloucestershire | 44.3v | 0.0v | 46.2v | 43.4v | 133.9v |
| 116 | Mr A Sadler | X | Essex | 46.2v | 0.0v | 43.2v | 44.5v | 133.9v |
| 117 | Mr D Clark | A | Durham | 45.2v | 0.0v | 46.5v | 42.1v | 133.8v |
| 118 | LCpl HG Asquith-Beard | X | Berkshire | 49.6v | 0.0v | 43.1v | 41.1v | 133.8v |
| 119 | Mr AF Chidlow | T | Oxfordshire | 47.1v | 0.0v | 43.2v | 43.4v | 133.7v |
| 120 | Mr S Penrose | X | Essex | 45.2v | 0.0v | 50.3v | 38.1v | 133.6v |
| 121 | Mr BN Craig | O | Cheshire | 46.2v | 0.0v | 45.3v | 42.1v | 133.6v |
| 122 | Mr SAJ Dowley | A | Northants, Leics, Rutland | 47.4v | 0.0v | 43.1v | 43.1v | 133.6v |
| 123 | Miss SAM Rorison | O | Lancashire | 48.5v | 0.0v | 44.1v | 41.0v | 133.6v |
| 124 | Mr PA Hatfield | O | Nottinghamshire | 49.5v | 0.0v | 50.7v | 33.2v | 132.14v |
| 125 | Mr M Liversage | X | Lancashire | 48.5v | 0.0v | 44.5v | 40.2v | 132.12v |
| 126 | Mr R Birtwistle | X | Hampshire | 47.4v | 0.0v | 47.5v | 38.2v | 132.11v |
| 127 | Mr JRW Postle | X | Gloucestershire | 44.3v | 0.0v | 45.3v | 43.4v | 132.10v |
| 128 | Miss DJ Armstrong | A | Northumberland | 48.6v | 0.0v | 45.3v | 39.1v | 132.10v |

| | | | | | | |
|---------------------------|-----------------------------|-------|------|-------|-------|---------|
| 129 Mr PS Holmes | A Lancashire | 45.2v | 0.0v | 44.2v | 43.3v | 132.7v |
| 130 Mr SME Hayton | X London | 45.2v | 0.0v | 47.2v | 40.3v | 132.7v |
| 131 Mr RM Roberts | X Sussex | 45.1v | 0.0v | 47.4v | 40.1v | 132.6v |
| 132 Mr TM Drysdale | X County of Durham | 45.2v | 0.0v | 44.2v | 43.1v | 132.5v |
| 133 Mr SJV Osmond | X Lincolnshire | 43.1v | 0.0v | 43.1v | 46.2v | 132.4v |
| 134 Mr MR Clewer | O Hereford & Worcs | 46.3v | 0.0v | 47.1v | 39.0v | 132.4v |
| 135 Mr SD Shouler | A Nottinghamshire | 47.4v | 0.0v | 43.3v | 41.2v | 131.9v |
| 136 Mr RA Dix | A Somerset | 46.2v | 0.0v | 39.3v | 46.1v | 131.6v |
| 137 Sgt SDJ Glanville | X Hampshire | 42.0v | 0.0v | 42.1v | 47.4v | 131.5v |
| 138 Mrs CJ Clifford Evans | O Norfolk | 46.3v | 0.0v | 44.4v | 40.6v | 130.13v |
| 139 Mr RK Edwards | A Gloucestershire | 47.5v | 0.0v | 49.5v | 34.1v | 130.11v |
| 140 Mr AJH Fowler | A Surrey | 42.3v | 0.0v | 46.4v | 42.1v | 130.8v |
| 141 Mr RJSG Clark | A Buckinghamshire | 46.3v | 0.0v | 46.3v | 38.1v | 130.7v |
| 142 Miss S Hodge | A Berkshire | 47.5v | 0.0v | 43.1v | 40.1v | 130.7v |
| 143 Mr WC Cowen | O Yorkshire | 47.2v | 0.0v | 42.3v | 41.1v | 130.6v |
| 144 Mr RE Ellis | O Bedfordshire | 47.3v | 0.0v | 42.0v | 41.1v | 130.4v |
| 145 Mr DA Roberts | O Suffolk | 47.4v | 0.0v | 43.2v | 39.1v | 129.7v |
| 146 Mr MW Silver | X Oxfordshire | 44.2v | 0.0v | 41.3v | 44.0v | 129.5v |
| 147 Mr R Winney | O Hertfordshire | 45.2v | 0.0v | 40.1v | 44.2v | 129.5v |
| 148 Flt Lt NP Moxon | O Wiltshire | 40.0v | 0.0v | 44.3v | 45.1v | 129.4v |
| 149 Mr D Lowe | A Surrey | 43.1v | 0.0v | 39.1v | 46.3v | 128.5v |
| 150 Mr T Smith | A Northants, Leics, Rutland | 48.2v | 0.0v | 45.2v | 35.0v | 128.4v |
| 151 Mr P Cutts | O Surrey | 40.2v | 0.0v | 45.5v | 42.2v | 127.9v |
| 152 Miss HPC Bramwell | A Lancashire | 44.2v | 0.0v | 45.4v | 38.2v | 127.8v |
| 153 Miss CH Cuming | X Yorkshire | 44.3v | 0.0v | 46.3v | 37.1v | 127.7v |
| 154 Mr CI Pawlik | O Hampshire | 47.4v | 0.0v | 38.2v | 41.0v | 126.6v |
| 155 Mr M Rewston | O Nottinghamshire | 44.4v | 0.0v | 38.2v | 43.0v | 125.6v |
| 156 Miss JE Ouston | A Hertfordshire | 43.2v | 0.0v | 42.2v | 40.1v | 125.5v |
| 157 Mr PM Hakim | X Surrey | 45.2v | 0.0v | 41.0v | 38.1v | 124.3v |
| 158 Mr DAJ Talbot | A Nottinghamshire | 47.3v | 0.0v | 40.0v | 37.0v | 124.3v |
| 159 Mr M Reid | O Somerset | 40.2v | 0.0v | 40.1v | 43.3v | 123.6v |
| 160 Mr RW Hallows | X Cornwall | 44.3v | 0.0v | 43.3v | 36.0v | 123.6v |
| 161 Mr CM Brooks | O Hampshire | 44.4v | 0.0v | 38.0v | 36.0v | 118.4v |
| 162 Mr AJD Saunders | O London | 43.2v | 0.0v | 35.2v | 37.1v | 115.5v |
| 163 Mr MG Whicher | X Berkshire | 49.4v | 0.0v | 49.2v | 0.0v | 98.6v |
| 164 Mr R Bird | O Northants, Leics, Rutland | 46.4v | 0.0v | 46.6v | 0.0v | 92.10v |
| 165 Dr GCD Barnett | X Norfolk | 49.4v | 0.0v | 0.0v | 41.2v | 90.6v |
| 166 Mr CST Lehmann | O Cheshire | 42.3v | 0.0v | 44.1v | 0.0v | 86.4v |
| 167 Mr A J Luckman | A Somerset | 0.0v | 0.0v | 0.0v | 41.2v | 41.2v |
| 168 Mr DH Allen | O Yorkshire | 0.0v | 0.0v | 38.1v | 0.0v | 38.1v |
| 169 Mr P Dawes | O Bedfordshire | 0.0v | 0.0v | 36.2v | 0.0v | 36.2v |